OFF-GRID APPLIANCES















No power...
no problem®



PRODUCT SHOWCASE

Table of contents

page 2	Matched	l Pair Pr	omotion
--------	---------	-----------	---------

- page 3 Propane/gas ranges
- page 12 Rangetop/cooktops
- page 17 Propane fridges
- page 25 **Propane freezers**
- page 28 Solar powered appliances
- page 33 Portable Laundry
- page 34 Portable solar power
- page 35 Portable 3-way coolers
- page 38 Direct Vent (DV) system information
- page 39 **Contact us**
- page 40 Notes

PROPANE/GAS RANGES

RANGETOP & COOKTOPS

PROPANE FRIDGES

PROPANE FREEZERS

SOLAR APPLIANCES

3-WAY COOLERS

PORTABLES

LAUNDRY

UNIQUE INFORMATION



MATCHED PAIR PROMOTION

EARN UP TO A \$400 CONSUMER MAIL-IN REBATE FOR EACH UNIQUE FRIDGE AND PROPANE RANGE/COOKTOP COMBO PURCHASED!

- Purchase the Unique Elite 18 SS fridge **AND** either the 30" or the 36" Unique Elite range, and receive a \$400 mail-in rebate.
- Purchase any Unique 10, 13, 15 or 18 propane fridge or Unique UGP-470 solar fridge AND any Unique range, and receive a \$200 mail-in rebate.
- Purchase any Unique 6 or 8 fridge **AND** any Unique range, and receive a \$100 mail-in rebate.
- Purchase any Unique fridge **AND** any Unique cooktop, and receive a \$100 mail-in rebate.

Both the Unique fridge and Unique range must be purchased together and on the same sales receipt, between January 31st, 2015 and December 31st, 2015.





Unique 30" white w/ window propane range



UGP-10 W Unique 10 cu. ft. white propane fridge





PROPANE/GAS RANGES









UNIQUE'S *PRO-STYLE* SERIES

36" OFF-GRID GAS RANGE



MODEL (shown)	UGP-36E OF1
OPERATION	Set for propane (LPG) - A natural (NG) conversion kit is included
DIMENSIONS: (H x W x D)	36" x 39.75" x 27.5"
COOKING SURFACE HEIGHT	37"
OVEN CAPACITY	5.2 cu/ft
BTU (LPG & NG)	griddle: 18,000 front left: 18,000 front right: 18,000 rear left: 12,000 rear right: 12,000 upper broiler burner: 13,000 U-shape oven burner: 22,000





- 18,000 BTUs of searing power on cooktop
- High quality, Italian-made sealed burners for easy cleanup
- The only waist-high broiler in an off-grid range (patent pending)
- Continuous cast iron grate design for easy movement of cookware
- Centre griddle for weekend breakfast
- Battery operated ignition system
- Flame light indicator
- Heavy stainless steel construction
- · Battery operated oven light
- Porcelain broil pan and tray included







stainless



UNIQUE'S **PRO-STYLE** SERIES

30" OFF-GRID GAS RANGE

MODEL (shown)	UGP-30E OF1
OPERATION	Set for propane (LPG) - A natural (NG) conversion kit is included
DIMENSIONS: (H x W x D)	30" x 39.75" x 27.5"
COOKING SURFACE HEIGHT	37"
OVEN CAPACITY	4.2 cu/ft
BTU (LPG & NG)	front left: 18,000 front right: 18,000 rear left: 12,000 rear right: 12,000 upper broiler burner: 13,000 U-shape oven burner: 22,000



FEATURES:

- Elegant, pro-style design at an affordable price
- 18,000 BTUs of searing power on cooktop
- High quality, Italian-made sealed burners for easy cleanup
- The only waist-high broiler in an off-grid range (patent pending)
- Continuous cast iron grate design for easy movement of cookware
- · Flame light indicator
- Battery operated ignition system
- Heavy stainless steel construction
- Battery operated oven light
- Porcelain broil pan and tray included





UNIQUE ELITE



UNIQUE'S PRO-STYLE SERIES

36" GAS RANGE









MODEL (shown)	UGP-36E ON1
OPERATION	Set for natural gas (NG) - A propane (LPG) conversion kit is included
DIMENSIONS: (H x W x D)	36" x 39.75" x 27.5"
COOKING SURFACE HEIGHT	37"
OVEN CAPACITY	5.2 cu/ft
BTU (LPG & NG)	griddle: 18,000 front left: 18,000 front right: 15,000 (680 BTU simmer) rear left: 18,000 rear right: 15,000 (680 BTU simmer) infrared upper broiler burner: 16,500 U-shape oven burner: 22,000



- Elegant, pro-style design at an affordable price
- 18,000 BTUs of searing power on cooktop
- High quality, Italian-made sealed burners for easy cleanup
- Continuous cast iron grate design for easy movement of cookware
- Convection cooking
- Centre griddle for weekend breakfast
- Infrared broiler and griddle
- Automatic electric spark ignition. Burners relight automatically if blown out
- Heavy stainless steel construction
- Halogen lights
- Porcelain broil pan and tray included







UNIQUE'S PRO-STYLE SERIES

30" GAS RANGE

MODEL (shown)	UGP-30E ON1
OPERATION	Set for natural gas (NG) - A propane (LPG) conversion kit is included
DIMENSIONS: (H x W x D)	30" x 39.75" x 27.5"
COOKING SURFACE HEIGHT	37"
OVEN CAPACITY	4.2 cu/ft
BTU (LPG & NG)	front left: 18,000 front right: 15,000 (680 BTU simmer) rear left: 12,000 rear right: 12,000 upper broiler burner: 13,000 U-shape oven burner: 22,000



- Elegant, pro-style design at an affordable price
- 18,000 BTUs of searing power on cooktop
- High quality, Italian-made sealed burners for easy cleanup
- Continuous cast iron grate design for easy movement of cookware
- Convection cooking
- Automatic electric spark ignition. Burners relight automatically if blown out
- Heavy stainless steel construction
- Halogen lights
- Porcelain broil pan and tray included





30" UNIQUE SIGNATURE **GAS RANGE**







COLOURS:

window

black


stainless/ black



MODEL (-1)	UCD 70 W/W
MODEL (shown)	UGP-30 WW
OPERATION	Propane (LPG), Natural Gas (NG) option - NG orifices not included
DIMENSIONS: (H x W x D)	oven: 14" x 24" x 19" broil area: 13" wide x 13" deep
COOKING Surface Height	36"
OVERALL HEIGHT	40.5"
FLOORSPACE	30" wide x 24" deep
WEIGHT	166 lbs./ 76 kg
BTU: cooktop (LPG & NG)	per burner LPG: 8,000 per burner NG: 9,000



- Modern design with solid construction (heavy duty stainless steel handles)
- Sealed burner cooktop (easier to clean)
- Heavy duty continuous cast iron grate design for safer movement of cookware
- Large pro-style knobs for cooktop & oven
- Cast iron burner caps
- 9 Volt battery ignition system (no standing pilot wasting fuel on cooktop)
- Oven window on UGP-30 S/S and UGP-30 WW



MODEL (shown)	UGP-24 S/S
OPERATION	Propane (LPG), Natural Gas (NG) option - NG orifices not included
DIMENSIONS: (H x W x D)	oven: 14" x 19" x 19" broiling area: 13" wide x 13" deep
COOKING SURFACE HEIGHT	36"
OVERALL HEIGHT	40.5"
FLOORSPACE	24" wide x 24" deep
WEIGHT	142 lbs./ 65 kg
BTU top	per burner LPG: 8,000 per burner NG: 9,000

24" UNIQUE SIGNATURE GAS RANGE




- Modern design with stainless steel doors and handles (stainless version)
- Sealed burner cooktop (easier to clean)
- Heavy duty continuous cast iron grate design for safer movement of cookware
- Large pro-style knobs for cooktop & oven
- Cast iron burner caps
- 9 Volt battery ignition system (no standing pilot wasting fuel on cooktop)
- Oven window on UGP-24 S/S





20" UNIQUE SIGNATURE GAS RANGE






COLOURS:

black

white



- Modern design with heavy duty construction
 - built to last
- Sealed burner cooktop (easier to clean)
- Heavy duty continuous cast iron grate design for safer movement of cookware
- Large pro-style knobs for cooktop & oven
- Cast iron burner caps
- 9 Volt battery ignition system (no standing pilot wasting fuel on cooktop)



30" UNIQUE CLASSIC GAS RANGE

MODEL (shown)	UGP-30G OF1 W
OPERATION	Propane (LPG), Natural Gas (NG) option - NG orifices included
DIMENSIONS: (H x W x D)	oven: 14" x 24" x 21.5" broil area: 24" wide x 21.5" deep
COOKING SURFACE HEIGHT	37.5"
OVERALL HEIGHT	39.5"
FLOORSPACE	30" wide x 27.25" deep
WEIGHT	162 lbs./ 73.5 kg
BTU: cooktop (LPG & NG)	front right: 10,000 front left: 9,000 rear right: 3,000 rear left: 9,000



- Sleek modern design
- Continuous cast iron grate design for easy and safe movement of cookware (no tipping)
- Sealed cast burners for easy clean up
- One large dual ring 10,000 BTU cast burner for quick boiling
- Two 9,000 BTU cast burners
- One 3,000 BTU cast burner for low simmer cooking
- Heavy duty handles
- Oven window
- Battery ignition (no standing pilots wasting fuel)









PROPANE/GAS RANGETOP & COOKTOPS



UGP-30E CT2



UGP-36 CT1



UGP-30 CT1



UGP-24 CT1









MODEL (shown)	UGP-30E CT2
OPERATION	Set for natural gas (NG) - A propane (LPG) conversion kit is included
DIMENSIONS: (H x W x D)	9" x 30" x 27.5"
BTU (LPG & NG)av	front left: 18,000 front right: 15,000 rear left: 12,000 rear right: 12,000



- Elegant, pro-style design at an affordable price
- Rangetop features 18,000 BTUs of searing power
- High quality, Italian-made sealed burners for easy cleanup
- Can operate in the city (AC/DC plug-in ignition) or off-grid (battery ignition) (dual ignition system patent pending)
- Continuous cast iron grate design for easy movement of cookware
- Heavy stainless steel construction





36" GAS COOKTOP UGP-36 CT1

COLOURS:



stainless



MODEL (shown)	UGP-36 CT1
OPERATION	Propane (LPG) or Natural Gas (NG) - comes set for LPG, NG orifices included
SIZE:	35.4"/90 cm
BTU (LPG & NG)	centre: 17,000 front right: 10,200 front left: 10,200 rear right: 3,400 rear left: 6,000 TOTAL: 46,800



- Can operate in the city (AC/DC plug-in ignition) or off-grid (battery ignition) (dual ignition system patent pending)
- 17,000 BTUs of searing power
- High quality, Italian-made Sabaf sealed burners for easy cleanup
- Multi-prong grate design makes moving cookware safe and easy
- Durable cast iron burner grates
- Elegant design
- Cardboard template included for exact counter cut-out





30" GAS COOKTOP UGP-30 CT1

MODEL (shown)
UGP-30 CT1

Propane (LPG) or Natural Gas (NG) comes set for LPG, NG orifices included

SIZE:
30"/76.2 cm

BTU (LPG & NG)
centre: 17,000
front right: 10,200
front left: 10,200
rear right: 3,400
rear left: 6,000
TOTAL: 46,800





- Can operate in the city (AC/DC plug-in ignition) or off-grid (battery ignition) (dual ignition system patent pending)
- 17,000 BTUs of searing power
- High quality, Italian-made Sabaf sealed burners for easy cleanup
- Multi-prong grate design makes moving cookware safe and easy
- Durable cast iron burner grates
- Elegant design
- Cardboard template included for exact counter cut-out



24" GAS COOKTOP UGP-24 CT1

COLOURS:



stainless



MODEL (shown)	UGP-24 CT1
OPERATION	Propane (LPG) or Natural Gas (NG) - comes set for LPG, NG orifices included
SIZE:	23.6"/60 cm
BTU (LPG & NG)	front right: 17,000 front left: 10,200 rear right: 3,400 rear left: 5,800 TOTAL: 36,400



- Can operate in the city (AC/DC plug-in ignition) or off-grid (battery ignition) (dual ignition system patent pending)
- 17,000 BTUs of searing power
- High quality, Italian-made Sabaf sealed burners for easy cleanup
- Multi-prong grate design makes moving cookware safe and easy
- Durable cast iron burner grates
- Elegant design
- Cardboard template included for exact counter cut-out







PROPANE FRIDGES



















PROPANE FRIDGES UGP-18 18.2 cu/ft - 515 litres

COLOURS:







white

black

stainless



MODEL (shown)	UGP-18 SS
SIZE	total: 18.2 cu/ft, 515 litres fridge: 13.8 cu/ft. / 391 litres freezer: 4.4 cu/ft. / 124 litres
OPERATION	Propane (LPG)
DIMENSIONS: CM (H x W x D)	unboxed: 65.5"x 30" x 36.5"
DIMENSIONS: DV (H x W x D)	unboxed: 66.25" x 30" x 38.5"
MIN. CLEARANCES FOR INSTALLATION	(from front) left: 2" / top: 10"/ right: 2" / back: 1"
WEIGHT (boxed)	CM: 270 lbs./123 kg DV: 290 lbs./132 kg
GAS CONSUMPTION	Approx. 1.8 lbs. LPG in 24 hr. period
BTU	1600 max., 700 min.



- Thermostat
- Front mounted controls
- Flame indicator
- Piezo igniter
- Battery operated interior light
- Freezer comes with powder coat finish
- Doors are reversible
- CM: Free-venting models come with CO alarming device with Safety Shut-Off
- DV: Direct Vent models have "DV" designation & must be located on an outside wall

PROPANE FRIDGES UGP-15 15 cu/ft - 425 litres



MODEL (shown)	UGP-15
SIZE	total: 15 cu/ft, 425 litres fridge: 10.8 cu/ft. / 306 litres freezer: 4.2 cu/ft. / 119 litres
OPERATION	Propane (LPG)
DIMENSIONS: CM (H x W x D)	unboxed: 63.5"x 28.5" x 35.5"
DIMENSIONS: DV (H x W x D)	unboxed: 63.5" x 28.5" x 38.5"
MIN. CLEARANCES FOR INSTALLATION	(from front) left: 2" / top: 10"/ right: 2" / back: 1"
WEIGHT (boxed)	CM: 260 lbs./119 kg DV: 280 lbs./128 kg
GAS CONSUMPTION	Approx. 1.8 lbs. LPG in 24 hr. period
BTU	1600 max., 700 min.



- Thermostat
- Front mounted controls
- Flame indicator
- Piezo igniter
- Battery operated interior light
- Freezer comes with powder coat finish
- Doors are reversible
- CM: Free-venting model comes with CO alarming device with Safety Shut-Off
- DV: Direct Vent model has "DV" designation & must be located on an outside wall





PROPANE FRIDGES **UGP-13** 13.4 cu/ft - 379 litres










MODEL (shown)	UGP-13
SIZE	total: 13.4 cu/ft, 379 litres fridge: 9.4 cu/ft. / 266 litres freezer: 4.0 cu/ft. / 113 litres
OPERATION	Propane (LPG)
DIMENSIONS: CM (H x W x D)	unboxed: 70.75" x 27.5" x 29.75"
DIMENSIONS: DV (H x W x D)	unboxed: 71.75" x 27.5" x 35"
MIN. CLEARANCES FOR INSTALLATION	(from front) left: 2" / top: 6"/ right: 2" / back: 1"
WEIGHT (boxed)	CM: 260 lbs./119 kg DV: 280 lbs./128 kg
GAS CONSUMPTION	Approx. 1.4 lbs. LPG in 24 hr. period
BTU	1610 max., 700 min.



- Thermostat
- Front mounted controls
- Flame indicator
- Piezo igniter
- Battery operated interior light
- Freezer comes with powder coat finish
- Doors are reversible
- CM: Free-venting model comes with CO alarming device with Safety Shut-Off
- DV: Direct Vent model has "DV" designation & must be located on an outside wall





PROPANE FRIDGES **UGP-10** 9.7 cu/ft - 275 litres

MODEL (shown)	UGP-10 S/S
SIZE	total: 9.7 cu/ft, 275 litres fridge: 7.6 cu/ft. / 215 litres freezer: 2.1 cu/ft. / 60 litres
OPERATION	Propane (LPG) / 110V (dual power)
DIMENSIONS: CM (H x W x D)	unboxed: 64.5"x 23.5" x 28.25"
DIMENSIONS: DV (H x W x D)	unboxed: 65.5" x 23.75" x 33.25"
MIN. CLEARANCES FOR INSTALLATION	(from front) left: 2" / top: 6"/ right: 2" / back: 1"
WEIGHT (boxed)	CM: 179 lbs./81 kg DV: 198 lbs./90 kg
GAS CONSUMPTION	Approx. 1.4 lbs. LPG in 24 hr. period
BTU	1600 max., 600 min.
AC POWER	110V, 2.5 Amp., 300 Watts



FEATURES:

- Adjustable glass shelves
- One large crisper drawer
- Dual power allows for 'brown' applications/ frequent power disruptions
- Front mounted controls
- Thermostat
- · Battery operated ignition
- Battery operated interior light
- Flame indicator
- · Reversible doors
- CM: Free-venting models come with CO alarming device with Safety Shut-Off
- DV: Direct Vent models have "DV" designation & must be located on an outside wall



Improved interior!



PROPANE FRIDGES UGP-8 8 cu/ft - 227 litres

COLOURS:







white

black

stainless




MODEL (shown)	UGP-8 W
SIZE	total: 8.0 cu/ft, 227 litres fridge: 6.3 cu/ft. / 179 litres freezer: 1.7 cu/ft. / 48 litres
OPERATION	Propane (LPG) / 110V (dual power)
DIMENSIONS: CM (H x W x D)	unboxed: 64.5" x 23.5" x 25.25"
DIMENSIONS: DV (H x W x D)	unboxed: 65.5" x 23.75" x 29.25"
MIN. CLEARANCES FOR INSTALLATION	(from front) left: 2" / top: 6"/ right: 2" / back: 1"
WEIGHT (boxed)	CM: 168 lbs./76 kg DV: 187 lbs./85 kg
GAS CONSUMPTION	Approx. 1.1 lbs. LPG in 24 hr. period
BTU	1600 max., 600 min.
AC POWER	110V, 2.5 Amp., 300 Watts





- Adjustable glass shelves
- One large crisper drawer
- Dual power allows for 'brown' applications/ frequent power disruptions
- Front mounted controls
- Thermostat
- Battery operated ignition
- Battery operated interior light
- Flame indicator
- Reversible doors
- CM: Free-venting models come with CO alarming device with Safety Shut-Off
- DV: Direct Vent models have "DV" designation & must be located on an outside wall





PROPANE FRIDGES UGP-6 6.4 cu/ft - 181 litres

MODEL (shown)	UGP-6 B
SIZE	total: 6.4 cu/ft, 181 litres fridge: 4.9 cu/ft. / 139 litres freezer: 1.5 cu/ft. / 42 litres
OPERATION	Propane (LPG) / 110V (dual power)
DIMENSIONS: CM (H x W x D)	unboxed: 57.75" x 23.75" x 25.25"
DIMENSIONS: DV (H x W x D)	unboxed: 58.75" x 23.75" x 29.75"
MIN. CLEARANCES FOR INSTALLATION	(from front) left: 2" / top: 6"/ right: 2" / back: 1"
WEIGHT (boxed)	CM : 161 lbs./73 kg DV : 181 lbs./82 kg
GAS CONSUMPTION	Approx. 1.1 lbs. LPG in 24 hr. period
BTU	1600 max., 600 min.
AC POWER	110V, 2.5 Amp., 300 Watts



FEATURES:


- Adjustable glass shelves
- One large crisper drawer
- Dual power allows for 'brown' applications/ frequent power disruptions
- Front mounted controls
- Thermostat
- Battery operated ignition
- Battery operated interior light
- Flame indicator
- · Reversible doors
- CM: Free-venting models come with CO alarming device with Safety Shut-Off
- DV: Direct Vent models have "DV" designation & must be located on an outside wall



Improved interior!



PROPANE FRIDGES UGP-3 3.4 cu/ft - 96 litres





MODEL (shown)	UGP-3 W
SIZE	total: 3.4 cu/ft, 96 litres fridge: 3.0 cu/ft. / 85 litres freezer: 0.4 cu/ft. / 11 litres
OPERATION	Propane (LPG) / 110V / 12V
DIMENSIONS: (H x W x D)	unboxed: 31" x 20.25" x 23.75"
WEIGHT	86 lbs./39 kg
GAS CONSUMPTION	Approx. 0.7 lbs. LPG in 24 hr. period
BTU	850 max., 525 min.
AC POWER	110V, 1.45 Amp., 175 Watts
DC POWER	12V, 13.3 Amp., 150 Watts



ThermostatFront mounte

FEATURES:

- Front mounted controls
- Side handles for easy carrying

• Internal freezer compartment

- Piezo igniter
- Flame indicator
- Reversible doors
- 12V adaptor sold separately
- ask dealer for details

Under the portable gas-fired camping refrigerator standard





PROPANE FREEZERS







PROPANE FREEZER **UGP-6F** 6.0 cu/ft - 169 litres







MODEL (shown)	UGP-6F
SIZE	total: 6.0 cu/ft, 169 litres
OPERATION	Propane (LPG) / 110V (dual power)
DIMENSIONS: CM (H x W x D)	unboxed: 33"x 40.5" x 29"
MIN. CLEARANCES FOR INSTALLATION	(from front) left: 2" / top: 27"/ right: 2" / back: 4"
WEIGHT (boxed)	165 lbs./75 kg
GAS CONSUMPTION	Approx. 1.8 lbs. LPG in 24 hr. period
BTU	1800 max., 1200 min.
AC POWER	110V, 2.5 Amp., 300 Watts



- Dual power allows for "brown" applications/ frequent power disruptions
- Two storage baskets
- Front mounted controls
- Thermostat
- Battery ignition
- Flame indicator
- CM: Free-venting model comes with CO alarming device with Safety Shut-Off





PROPANE FREEZER UGP-2 2.2 cu/ft - 61 litres

grey

MODEL (shown)	UGP-2
SIZE	total: 2.2 cu/ft, 61 litres
OPERATION	Propane (LPG) / 110V / 12V
DIMENSIONS: (H x W x D)	unboxed: 26.5" x 25.75" x 20"
WEIGHT	74 lbs./33.5 kg
GAS CONSUMPTION	Approx. 0.7 lbs. LPG in 24 hr. period
BTU	1000 max., 500 min.
AC POWER	110V, 1.45 Amp., 175 Watts
DC POWER	12V, 13.3 Amp., 150 Watts



FEATURES:

- 3-way functionality (propane, 12V, 110V)
- Thermostat
- Side mounted controls
- Side handles for easy carrying
- Piezo igniter
- Flame indicator
- Built-in level indicator (unit must be level while operating)
- 12V adaptor sold separately
- ask dealer for details



Includes all connectors - 110V, gas hose & regulator





Under the portable gas-fired camping refrigerator standard

27

PORTABLES



SOLAR POWERED DC APPLIANCES





SOLAR POWERED DC FRIDGE UGP-470L1 16.6 cu/ft - 470 litres



MODEL (shown)	UGP-470L
SIZE	total: 16.6 cu/ft, 470 litres
OPERATION	12V/24V
DIMENSIONS: (H x W x D)	unboxed: 74.5" x 30.5" x 28.5"
WEIGHT	200 lbs./90.7 kg
DC POWER	12V/24V
TOTAL WATT HR. DRAW (24V DC)	757 Wh/ 24 hrs (set to -14° C freezer/+4° C fridge performance in a +25° C ambient)
TOTAL AMP HR. DRAW (24V DC)	28 Ah/ 24 hrs (set to -14° C freezer/+4° C fridge performance in a +25° C ambient)
POWER CONSUMPTION	92 W on 12V & 78 W on 24V
AV. RUN CURRENT	6.8A on 12V & 2.9A on 24V
FRIDGE TEMP. RANGE	-2°C to +20°C
FREEZER TEMP. RANGE	-25°C to +20°C



- Largest upright solar fridge in North America
- Outstanding performance/very low DC power drain
- Super efficient construction features 4" (10 cm) of insulation in the freezer and 2.5" (6 cm) in the fridge
- Danfoss/Secop compressor the world's leading DC compressor (2 year warranty)
- Has an in-line fuse for protection
- Thermostat
- Adjustable heavy-duty wire shelves
- Storage basket
- Vertical can holder
- Interior light



PORTABLE SOLAR AC/DC POWERED FRIDGE/FREEZER UGP-120L1 4.2 cu/ft - 120 litres





tundra





N.

Includes all connectors - car DC connector, battery gator clips, AC/DC converter & wireless remote control

MODEL (shown)	UGP-120L1
SIZE	total: 4.2 cu/ft, 120 litres
OPERATION	110V / 12V / 24V
DIMENSIONS: (H x W x D)	unboxed: 28.34" x 34" x 21"
WEIGHT	79 lbs./36 kg
CONNECTIONS	car DC connector, battery gator clips & AC/DC converter included
DC POWER	DC 12V/24V + AC/DC adapter included
TOTAL WATT HR. Draw	469 Wh/ 24 hrs (Lrg. Side set to +5 ° C/ Sm. Side to -13 ° C in a +25 ° C ambient)
TOTAL AMP HR. DRAW	30 Ah/ 24 hrs (Lrg. Side set to +5° C/ Sm. Side to -13° C in a +25° C ambient)
POWER CONSUMPTION	33 W
AV. RUN CURRENT	2.7 amps on 12V DC
TEMP. RANGE	-18 °C to + 20 °C (in a +1 °C to +43 °C ambient temperature)
LRG. COMPARTMENT	15.3" L x 12.4" W x 22.8" D
SM. COMPARTMENT	15.3" L x 12.4" W x 14.5" D
EATURES:	

- Danfoss/Secop compressor the world's leading DC compressor (2 year warranty)
- Operates on DC or AC power
- Chest-style fridge/ freezer is high efficiency while using low energy consumption
- Dual compartments enable fridge/ freezer combinations
- Individual temperature controls for each compartment allows either compartment to be shut off to save energy
- Rugged side handles for easy carrying and tie-down
- Thermostat
- Power source indicator

30



PORTABLE SOLAR AC/DC POWERED FRIDGE/FREEZER

UGP-80L1 2.8 cu/ft - 80 litres

MODEL (shown)	UGP-80L1
SIZE	total: 2.8 cu/ft, 80 litres
OPERATION	110V / 12V / 24V
DIMENSIONS: (H x W x D)	unboxed: 20.4" x 34" x 21"
WEIGHT	68 lbs./31 kg
CONNECTIONS	car DC connector, battery gator clips & AC/DC converter included
DC POWER	DC 12V/24V + AC/DC adapter included
TOTAL WATT HR. Draw	464 Wh/ 24 hrs (Lrg. Side set to +5° C/ Sm. Side to -13° C in a +25° C ambient)
TOTAL AMP HR. DRAW	38 Ah/ 24 hrs (Lrg. Side set to +5° C/ Sm. Side to -13° C in a +25° C ambient)
POWER CONSUMPTION	33 W
AV. RUN CURRENT	2.7 amps on 12V DC
TEMP. RANGE	-18°C to + 20°C (in a +1°C to +43°C ambient temperature)
LRG. COMPARTMENT	13.3" L x 12.4" W x 19" D
SM. COMPARTMENT	13.3" L x 8.1" W x 11" D



- Danfoss/Secop compressor the world's leading DC compressor (2 year warranty)
- Operates on DC or AC power
- Chest-style fridge/ freezer is high efficiency while using a low energy consumption
- Dual compartments enable fridge/ freezer combinations
- Individual temperature controls for each compartment allows either compartment to be shut off to save energy
- Rugged side handles for easy carrying and tie-down
- Thermostat
- Power source indicator







Includes all connectors - car DC connector, battery gator clips, AC/DC converter & wireless remote control

31

PORTABLES

SOLAR POWERED: UGP-80L1

PORTABLE SOLAR POWERED DC CHEST FREEZER UGP-50L 1.8 cu/ft - 50 litres







MODEL (shown)	UGP-50L1
SIZE	total: 1.8 cu/ft, 50 litres
OPERATION	12V / 24V
DIMENSIONS: (HxWxD)	unboxed: 30.3" x 26.4" x 23"
WEIGHT	65 lbs./29.5 kg
DC POWER	DC 12V/24V
TOTAL WATT HR. DRAW (24V DC)	278 Wh/ 24 hrs (-16 °C performance in a +25 °C ambient)
TOTAL AMP HR. DRAW (24V DC)	20 Ah/ 24 hrs (-16°C performance in a +25°C ambient)
POWER CONSUMPTION	27 W on 12V & 26 W on 24V
AV. RUN CURRENT	2A on 12V & 1A on 24V
TEMP. RANGE	-20°C to + 20°C

5

- 4.3" (11 cm) of insulation for super-efficient operation/freezing
- Danfoss/Secop compressor the world's leading DC compressor (2 year warranty)
- 12V or 24V DC with low voltage disconnect battery protection
- Has an in-line fuse for protection
- Compact chest-style design can be used as a freezer or fridge (adjustable thermostat)
- Durable galvanized steel exterior construction
- Easy to clean aluminum interior with bottom drain
- Heavy duty side handles



PORTABLE ON-GRID/OFF-GRID DC WASHING MACHINE UGP-72 LD1

MODEL (shown)	UGP-72 LD1
CAPACITY washer	18 lbs / 8.0 kg
CAPACITY spinner	11 lbs / 5.0 kg
OPERATION	DC 24V
DIMENSIONS: (H x W x D)	unboxed: 35" x 31.5" x 18.7"
WEIGHT	44 lbs./20 kg
CONNECTIONS	Battery gator clips (AC/DC converter for on-grid use sold separately)
DC POWER	24V
POWER CONSUMPTION	0.19 kw/h
INPUT WASH POWER	160W/320W
WATER CONSUMPTION	Variable upon need





- Energy efficient dual tub washing machine is perfect for off-grid use with solar system, or apartment use with AC/DC converter (AC/DC converter sold seperately)
- Lightweight, easy to move where needed
- 2 wash settings (gentle/heavy duty)
- Adjustable timed spin cycle
- Hooks up to standard faucet
- Pump-powered drain
- Compact and modern design, easy to store
- Manual drain to regulate flow for septic beds



PORTABLE SOLAR POWER SYSTEM UGP-100W SP 100 watts





arev



MODEL (shown)	UGP-100WSP
OPERATION/ CONNECTIONS	car DC connector, battery gator clips
SOLAR PANEL POWER	100 W, 18 V, 5.55 A
DIMENSIONS: (LxWxD)	folded: 26.1" x 26.2" x 2.75" unfolded: 48" x 26.2" x 2.75"
WEIGHT	17 lbs./8 kg
CONTROLLER	12 V / 10 A
ACCESSORIES	1 extension cord, 2 connection lines, 1 securing belt for transport





- Multi-use capability charge laptops, cell phone, satellite phone, Unique 50L chest freezer or 80L/120L fridge/freezer
- Light weight, highly portable design with sturdy molded handle
- Dual fasteners keep the solar panel folded and locked for easy transport
- Fold-away steel brackets allow for full-sun positioning
- 10m/33' power cord included



PORTABLE 3-WAY COOLERS







PORTABLE 3-WAY CAMOUFLAGE COOLER UGP-55L 2.0 cu/ft - 55 litres





grey











36

MODEL (shown)	UGP-55L
SIZE	total: 2.0 cu/ft, 55 litres
OPERATION	Propane (LPG) / 110V / 12V
DIMENSIONS: (H x W x D)	unboxed: 20.3" x 24.8" x 19.8"
WEIGHT	57 lbs./26 kg
GAS CONSUMPTION	Approx. 0.6 lbs. LPG in 24 hr. period
BTU	620 BTU/hr.
AC POWER	AC 110V, 50-60 Hz
DC POWER	DC 12V
RUN TIME	Up to 35 days with a 20 lbs. cylinder
RUN TEMPERATURE	Cools up to 36 °C below ambient temperature depending on power source (keep unit in the shade for optimal performance)

FEATURES:

- Adventure ready! Includes all connectors 110V, DC, gas hose & regulator
- Integrated DeepCold zone (1/3 freezer, 2/3 cooler)
- Removable divider in freezer allows the whole unit to be used as a high performance cooler
- Built-in level indicator to ensure optimal performance (unit must be level while operating)
- Silent absorption cooling system
- Invision™ camouflage lid
- Molded side handles
- Rugged, durable design
- Thermostat
- Flame indicator
- AC/DC power source indicator

PORTABLES



PORTABLE 3-WAY CAMOUFLAGE COOLER

UGP-45L 1.6 cu/ft - 45 litres

\			J
	al	œ۱	/

MODEL (shown)	UGP-45L	
SIZE	total: 1.6 cu/ft, 45 litres	
OPERATION	Propane (LPG) / 110V / 12V	
DIMENSIONS: (H x W x D)	unboxed: 18.5" x 21" x 18.5"	
WEIGHT	40 lbs./18 kg	
GAS CONSUMPTION	Approx. 0.6 lbs. LPG in 24 hr. period	
BTU	620 BTU/hr.	
AC POWER	AC 110V, 50-60 Hz	
DC POWER	DC 12V	
RUN TIME	Up to 35 days with a 20 lbs. cylinder	
RUN TEMPERATURE	Cools up to 25°C below ambient temperature depending on power source (keep unit in the shade for optimal performance)	





Includes all connectors - 110V. DC. gas hose & regulator

FEATURES:

- Adventure ready! Includes all connectors – 110V, DC, gas hose & regulator
- Built-in level indicator to ensure optimal performance (unit must be level while operating)
- Silent absorption cooling system
- Invision™ camouflage lid
- Molded side handles
- Rugged, durable design
- Thermostat
- Flame indicator
- AC/DC power source indicator





37

PORTABLES

LITIQUE® OFF-GRID APPLIANCES

UNIQUE'S PATENT PENDING DIRECT VENTING SYSTEM ('DV' MODEL)

INSULATED

Exhaust insulated to reduce condensate

EASE OF ASSEMBLY

To save you time, Unique's factory built system takes under 30 minutes to assemble

SAFETY FIRST

Unique leads the way through:

- Innovation
- Safety
- Product awareness

* First to develop free-standing direct vent refrigerators in 1991

INTEGRAL SYSTEM

Factory pre-built only required to attach horizontal vent extensions through outside wall

SERVICEABILITY

Burner box designed to make seasonal servicing easier!

DV models must be located on an outside/exterior wall



CONTACT US

- www.UniqueOffGrid.com
- info@UniqueOffGrid.com
- **I** Unique Off Grid Appliances
- @UniqueOffGrid

tf: 1-877-427-2266

tel: 905-827-6154

fax: 905-827-2027

2245 Wyecroft Road, Oakville, Ontario, Canada L6L 5L7

